

REFERENCES

- Abushammala, M.F.M., Basri, N.E.A. and Kadhum, A.A.H. 2009. Review on landfill gas emission to the atmosphere. *European Journal of Science Research*. **30**: 427-436.
- Abushammala, M.F.M., Basri, N.E.A., Basri, H., Kadhum, A.A.H. and El-Shafie, A.H. 2010. Estimation of Methane Emission from Landfills in Malaysia using the IPCC 2006 FOD Model. *Journal of Applied Sciences*. **10**(15): 1603-1609.
- Adaska, W.S.P.E and Taubert, D.H. 2008. Beneficial uses of cement kiln dust. *IEEE-IAS Cement Industry Committee*, Illinois 210.
- Ağdağ, O.N. and Sponza, D.T. 2005. Anaerobic/aerobic treatment of municipal landfill leachate in sequential two-stage up-flow anaerobic sludge blanket reactor (UASB)/completely stirred tank reactor (CSTR) systems. *Process Biochemistry*. **40**: 895-902.
- Ağdağ, O.N. and Sponza, D.T. 2007. Co-digestion of mixed industrial sludge with municipal solid wastes in anaerobic simulated landfilling bioreactors. *Journal of Hazardous Materials*. **140**: 75–85.
- Ahmad, A.L. and Chan, C.Y. 2009. Sustainability of palm oil industries: an innovative treatment via membrane technology. *Journal of Applied Sciences*. **9**: 3074–3079.
- Ahmad, A.L., Chong, M.F. and Bhatia, S. 2007. Mathematical modeling of multiple solutes system for reverse osmosis process in palm oil mill effluent (POME) treatment. *Chemical Engineering Journal*. **132**: 183–193.
- Ahmad, A.L., Chong, M.F., Bhatia, S. and Ismail, S. 2006a. Drinking water reclamation from palm oil mill effluent (POME) using membrane technology. *Desalination*. **191**: 35–44.
- Ahmad, A.L., Ismail, S. and Bhatia, S. 2003. Water recycling from palm oil mill effluent (POME) using membrane technology. *Desalination*. **157**: 87-95
- Ahmad, A.L., Sumathi, S. and Hameed, B.H. 2006. Coagulation of residue oil and suspended solid in palm oil mill effluent by chitosan, alum and PAC. *Chemical Engineering Journal*. **118**: 99–105.
- Ahn, J.H. and Forster, C.F. 2002. A comparison of mesophilic and thermophilic anaerobic upflow filters treating paper-pulp-liquors. *Process Biochemistry*. **38**: 257-262.
- Aiyuk, S. and Verstraete, W. 2004. Sedimentological evolution in an UASB treating SYNTHES, a new representative synthetic sewage, at low loading rates. *Bioresource Technology*. **93**: 269-278.

- Akesson, M., and Nilsson, P. 1998. Material dependence of methane production rates in landfills. *Waste Manage Research*. **16**(2): 108-118.
- Alexander, M., 1997. "Introduction to Soil Microbiology". 2nd ed. John Wiley and Sons, New York.
- Alper, T.A., Orham, I., Nilgun, A.O., Betul, K. and Bahar, K.I. 2005. Evaluation of performance, acetoclastic methanogenic activity and archaeal composition of full-scale UASB reactors treating alcohol distillery wastewaters. *Process Biochemistry*. **40**: 1251-1259.
- Alphenaar, P.A., Sleyster, R. and De Reuver, P. 1993. Phosphorus requirement in high-rate anaerobic wastewater treatment. *Water Research*. **27**: 749-756.
- Alphenaar, P.A., Visser, A. and Lettinga, G. 1993a. The effect of liquid upward velocity and hydraulic retention time on granulation in UASB reactors treating wastewater with a high sulphate content. *Bioresource Technology*. **43**(3): 249-258.
- Alvarez, J.A., Ruiz, I., Gomez, M., Presas, J. and Soto, M. 2006. Start-up alternatives and performance of an UASB pilot plant treating diluted municipal wastewater at low temperature. *Bioresource Technology*. **97**: 1640–1649.
- Angelidaki, I., Chen, X., Cui, J, Kaparaju, P. and Ellegaard, L 2006. Thermophilic anaerobic digestion of source-sorted organic fraction of household municipal solid waste: Start-up procedure for continuously stirred tank reactor. *Water Research*. **40**: 2621-2628.
- Annachhatre, A.P. and Amatya, P.L. 2000. UASB treatment of tapioca starch wastewater. *Journal of Environmental Engineering*. **126**(12): 1149-1152.
- ASEAN Financial and Macro-economic Surveillance Unit Database and ASEAN statistical Yearbook. 2006. Reprint. World Bank. 2001.
- Aspe, E., Marti, M.C., Jara, A. and Roeckel, M. 2001. Ammonia inhibition in the anaerobic treatment of fishery effluents. *Journal of Water Environmental Research*. **73**(2): 154-164.
- Ayalon, O., Avnimelech, Y. and Shechter, M. 2001. Solid waste treatment as a high- priority and low cost alternative for greenhouse gas mitigation. *Environmental Management*. **27**: 697-704.
- Ayoub, G.M., Acra, A., Merhebi, F., El-Fadel, M. and Koopman, B. 2002. Seawater Bittern for the Treatment of Alkalized Industrial Effluents, *Water Research*. **34**: 640-656.
- Baca, M.T., Fornasier, F. and Nobili de, M. 1992. Mineralization and humification pathways in two composting processes applied to cotton wastes. *J. Ferment. Bioeng.* **74**(3): 179–184.

- Banerjee, A., Elefsiniotis, P. and Tuhtar, D. 1999. The effect of addition of potato-processing wastewater on the acidogenesis of primary sludge under varied hydraulic retention time and temperature. *Journal of Biotechnology*. **72**: 203-212.
- Batstone, D.J., Keller, J., Angelidaki, I., Kalyuzhnyi, S.V., Pavlostathis, S.G., Rozzi, A., Sanders, W.T.M., Siegrist, H. and Vavilin, V. 2002. *Anaerobic digestion model no. 1 (ADM1)*. London: IWA Publishing.
- Beccari, M., Bonemazzi, F., Majone, M. and Riccardi, C. 1996. Interaction between acidogenesis and methanogenesis in the anaerobic treatment of olive oil mill effluents. *Water Research*. **30**: 183-189.
- Behling, E., Diaz, A., Colina, G., Herrera, M., Gutierrez, E., Chacin, E., Fernandez, N. and Forster, C.F. 1997. Domestic wastewater treatment using a UASB reactor. *Bioresource Technology*. **61**(3): 239-45.
- Bernd, L. 2007. Kinetic study of thermophilic anaerobic digestion of solid wastes from potatoes processing. *Journal of Biomass Energy*. **30**: 892-896.
- Bettazzi, E., Caffaz, S., Vanninni, C. and Lubello, C. 2010. Nitrite inhibition and intermediates effects on the anammox bacteria: a batch-scale experimental study. *Process Biochemistry*. **45**: 573–580.
- Black, D.R. 1994. Methane role in atmospheric change, SWANA'S 17th annual international landfill gas symposium. Long Beach CA.
- Blonskaja, V., Menert, A. and Vilu, R. 2003. Use of two-stage anaerobic treatment for distillery waste. *Advances in Environmental Research*. **7**: 671-678.
- Bohn, I., Bjornsson, L. and Mattiasson, B. 2007. The energy balance in farm scale anaerobic digestion of crop residues at 11–37 °C. *Process Biochemistry*. **42**: 57-64.
- Boone, D.R. and Xun, L. 1987. Effects of pH, temperature and nutrients on propionate degradation by a methanogenic enrichment culture. *Applied Environmental Microbiology*. **53**: 1589-1592.
- Borja, R. and Banks, C. 1994. Anaerobic digestion of Palm Oil Mill Effluent using an up-flow anaerobic sludge blanket (UASB) reactor. *Biomass Bioenergy*. **6**(5): 381-389.
- Borja, R. and Banks, C.J. 1994a. Treatment of palm oil mill effluent by upflow anaerobic filtration. *Journal of Chemical Technology and Biotechnology*. **61**: 103–109.
- Borja, R., Banks, C. and Sánchez, E. 1996. Anaerobic treatment of palm oil mill effluent in a two-stage up-flow anaerobic sludge blanket (UASB) reactor. *Journal of Biotechnology*. **45**: 125-135.

- Borja, R., Martín, A., Sánchez, E., Rincón, B. and Raposo, F. 2005. Kinetic modelling of the hydrolysis, acidogenic and methanogenic steps in the anaerobic digestion of two-phase olive pomace (TPOP). *Process Biochemistry*. **40**: 1841–1847.
- Bouallagui, H., Cheikh, R.B., Marouani, L. and Hamdi, M. 2003. Mesophilic biogas production from fruit and vegetable waste in tubular digester. *Bioresource Technology*. **86**: 85–89.
- Bouallagui, H., Lahdheb, H., Romdan, E., Rachdi, B. and Hamdi, M. 2009a. Improvement of fruit and vegetable waste anaerobic digestion performance and stability with co-substrates addition. *Journal of Environmental Management*. **90**: 1844–1849.
- Bouallagui, H., Rachdi, B., Gannoun, H. and Hamdi, M. 2009b. Mesophilic and thermophilic anaerobic co-digestion of abattoir wastewater and fruit and vegetable waste in anaerobic sequencing batch reactors. *Biodegradation*. **20**: 401–409.
- Bouallagui, H., Touhami, Y., Cheikh, R.B. and Hamdi, M. 2005. Bioreactor Performance in Anaerobic Digestion of Fruit and Vegetable Wastes. *Process Biochemistry*. **40**: 989–995.
- Boynton, R.S. 1980. *Chemistry and Technology of Lime and Limestone*. 2nd edition. New York: John Wiley and Sons, Inc.
- Briski, F., Vukovic, M., Papa, K., Gomzi, Z. and Domanovac, T. 2007. Modelling of composting of food waste in a column reactor. *Chemical Papers*. **61**: 24–29.
- Burnham, J.C. 1987. Progress Report on the Pasteurization of Municipal Sludges Utilizing Cement Kiln Dust. *A National Conference on Alkaline Treatment and Utilization of Municipal Wastewater Sludges*. National Kiln Management Association. Section II, August 26-27. Toledo, Ohio, USA.
- Buyukkamaci, N. and Filibeli, A. 2004. Volatile fatty acid formation in anaerobic hybrid reactor. *Process Biochemistry*. **39**: 1491–1494.
- Caixeta, C.E.T., Camarota, M.C. and Xavier, A.M.F. 2002. Slaughterhouse wastewater treatment: evaluation of a new three-phase separation system in a UASB reactor. *Bioresource Technology*. **81**: 61–69.
- Calander, B. 1995. Scientific aspects of the framework conversion on climate change and national greenhouse gas inventories. *Environmental Monitoring and Assessment*. **28**: 129–140.

- Canadell, Josep G., Corinne Le Quère, Michael R. Raupach, Christopher B. Field, Erik T. Buitenhuis, Philippe Ciais, Thomas J. Conway, Nathan P. Gillett, R. A. Houghton, and Gregg Marlandi. "Contributions to accelerating atmospheric CO₂ growth from economic activity, carbon intensity, and efficiency of natural sink," *Proceedings of the National Academy of Sciences*, Vol. 104(47), November 20, 2007, pp. 18866-18870.
- Castillo, E.F.M., Cristancho, D.E. and Arellano, V.A. 2006. Study of the operational conditions for anaerobic digestion of urban solid wastes. *Waste Management*. **26**: 546–556.
- Chae, K.J., Jang, A., Yim, S.K. and Kim, I.S. 2008. The effects of digestion temperature and temperature shock on the biogas yields from the mesophilic anaerobic digestion of swine manure. *Bioresource Technology*. **99**: 1–6.
- Chaisri, R., Boonsawang, P., Prasertsan, P. and Chaiprapat, S. 2007. Effect of organic loading rate on methane and volatile fatty acids productions from anaerobic treatment of palm oil mill effluent in UASB and UFAF reactors. *Songklanakarin Journal Science and Technol.* **2**: 311-323.
- Chang, J.I., Tsai, J.J. and Wu., K.H. 2005. Mathematical model for carbon dioxide evolution from the thermophilic composting of synthetic food wastes made of dog food. *Waste Management*. **25**: 1037–1045.
- Charles, W., Walker, L. and Cord-Ruwisch, R. 2009. Effect of pre-aeration and inoculum on the start-up of batch thermophilic anaerobic digestion of municipal solid waste. *Bioresource Technology*. **100**: 2329–2335.
- Chávez, P.C., Castillo, L.R., Dendooven, L. and Escamilla-Silva, E.M. 2005. Poultry slaughter wastewater treatment with an up-flow anaerobic sludge blanket (UASB) reactor. *Bioresource Technology*. **96**: 1730-1736.
- Cheah, S.C. 2003. Understanding the causes of oil palm tissue culture abnormalities on the road to commercialization. *Proceedings of the PIPOC 2003 International Palm Oil Congress*. Agriculture Conference. MPOB. 121-128.
- Chen, X., Romano, R.T., Zhang, T., 2010. Anaerobic digestion of food wastes for biogas production. *International Journal of Agricultural Biology Engineering*. **3**(4): 51–62.
- Chen, Y., Cheng, J.J. and Creamer, K.S. 2008. Inhibition of anaerobic digestion process: a review. *Bioresource Technology*. **99**: 4044–4064.
- Cheng, Y.H., Sang, S.X., Huang, H.Z., Liu, X.J. and Ouyang, J.B. 2007. Variation of Coenzyme F420 activity and methane yield in landfill simulation of organic waste. *Journal of China University of Mining and Technology*. **17**(3): 403-408.

- Chiang, C. F. and Dague, R.R. 1992. Effects of reactor configuration and biomass activity on the performance of upflow static media anaerobic reactors. *Water Environmental Research*. **64**: 141-149.
- Chin, K.K. 1981. Anaerobic treatment kinetics of palm oil sludge. *Water Research*. **15**: 199–202.
- Chin, K.K., Lee, S.W. and Mohammed, H.H. 1996. A study of palm oil mill effluent treatment using ponding system. *Water Science and Technology*. **34**(11): 119-123.
- Choorit, W. and Wisarnwan, P. 2007. Effect of temperature on the anaerobic digestion of palm oil mill effluent. *Electronic Journal of Biotechnology*. **10**: 376-385.
- Christophersen, M., Kjeldsen, P., Holts, H. and Chanton, J. 2001. Lateral gas transport in soil adjacent to an old landfill: Factors governing emissions and methane oxidation. *Waste Management and Research*. **19**: 126-143.
- K.H. Chua, C. H. Yip, W. L. S. Nie, 2008. A Case Study on the Anaerobic Treatment of Food Waste and Gas Formation. ICCT 2008. **29**: 311-316.
- Chynoweth, D.P. and Legrand, R. 1988 Anaerobic digestion as an integral part of municipal waste management. In: *Proceedings of the Conference on Landfill, Gas and Anaerobic Digestion of Solid Waste*, Chester, England, 4-7 October. Thomas, H., Alston, Y.R. and Richards, G.E. eds. pp. 467-480.
- Clark, R.H. and Speece, R.E. 1971. The pH tolerance of anaerobic digestion. *Advances in Water Pollution Research*. **1**: 1–14.
- Clescerl, L., Greenberg, A.E. and Eaton, A.D. 1998. *Standard Methods for the Examination of Water and Wastewater*. 20th edition. Washington DC: American Public Health Association, ISBN 0-875-53235-7.
- Coetzee, G., Malandra, L., Wolfaardt, G.M. and Viljoen-Bloom, M. 2004. Dynamics of microbial biofilm in a rotating biological contactor for the treatment of winery effluent. *Water SA*. **30**(3): 407-412.
- Collivingnarelli, C., Urbini, G., Farneti, A., Bassetti, A. and Barbaresi, U. 1991. Economic removal of organic and nutrient substances from municipal wastewater with full-scale UASB, fluidized and fixed-bed reactors. *Water Science and Technology*. **24**(7): 89-95.
- Creamer, K.S., Chen, Y., Williams, C.M., Cheng, J.J., 2010. Stable thermophilic anaerobic digestion of dissolved air flotation (DAF) sludge by co-digestion with swine manure. *Bioresour. Technol.* **101**: 3020–3024.

- Cresson, R., Carrere, H., Delgenes, J.P. and Bernet, N. 2006. Biofilm formation during the start-up period of an anaerobic biofilm reactor-impact of nutrient complementation. *Biochemical Engineering Journal*. **30**: 55–62.
- Cuetos, M.J., Gomez, X., Otero, M. and Moran, A. 2008. Anaerobic digestion of solid slaughterhouse waste (SHW) at laboratory scale: influence of co-digestion with the organic fraction of municipal solid waste (OFMSW). *Biochemical Engineering Journal*. **40**: 99–106.
- Dague, R. and Pidaparti, S.R. 1992. Anaerobic sequencing batch treatment of swine wastes. In: *Proceedings of 46th Purdue Industrial Waste Conference*. Chelsea. pp. 751-823.
- de Baere, L., 2006. Will anaerobic digestion of solid waste survive in the future. *Water Science Technology*. **53**: 187–194.
- de Bok, F.A.M., Plugge C.M. and Stams, A.J.M. 2004. Interspecies electron transfer in methanogenic propionate degrading consortia. *Water Research*. **38**: 1368-1375.
- de Zeeuw, W. 1988. *Granular sludge in UASB reactors*. In: Lettinga G, Zehnder, L.I.B., Grotenhuis, J.T.C. Hulshoff Pol LW (Eds). *Granular anaerobic sludge; microbiology and technology*. The Netherlands.
- Dela-Rubia, M.A., Perez, M., Romero, L.I. and Sales, D. 2002. Anaerobic mesophilic and thermophilic municipal sludge digestion. *Chemical Biochemical Engineering Quality*. **16**: 119–124.
- Dong, L., Zhenhong, Y., Yongming, S., Xiaoying, K. and Yu, Z. 2009. Hydrogen production characteristics of organic fraction of municipal solid wastes by anaerobic mixed culture fermentation. *International Journal of Hydrogen Energy*. **34**: 812–820.
- Driessen, W. and Yspeert, P. 1999. Anaerobic treatment of low, medium and high strength effluent in agro-industry. *Water Science and Technology*. **40**: 221-228.
- Droste, R.L. 1997. *Theory and practice of water and wastewater treatment*. New York: John Wiley and Sons, Inc.
- Edgar, F.C.M., Diego, E.C. and Victor, A.A. 2006. Study of the operational conditions for anaerobic digestion of urban solid wastes, *Waste Management*. **26**: 546-556.
- El-Awady, M.H. and Sami, T.M. 1997. Removal of Heavy Metals by Cement Kiln Dust. *Bulletin Environmental Contamination Toxicology*. **59**: 603-610.
- El-Fadel, M. Masoud, M. 2001. Methane emissions from wastewater management, *Environmental Pollution*. **114**: 177-185.

- El-Gohary, F.A. and Nasr, F.A. 1999. Cost effective pre-treatment of wastewater. *Water Science and Technology*. **39**(5): 97-103.
- Elliott, A. and Mahmood, T. 2007. Pretreatment technologies for advancing anaerobic digestion of pulp and paper biotreatment residues. *Water Research*. **41**: 4273–4286.
- Elmaleh, S., Grasmick, A. and Guitonas, A. 1984. Epuration par cellules anaerobies immobilisées sur un support fluidisé. In Use of fixed biomass for water and wastewater treatment. *Proceedings 37th International Conference Cebedeau Liège*. pp. 275-290.
- El-Mashad, H.M., Wilko, K.P., Loon, V. and Zeeman, G. 2003. A model of solar energy utilisation in the anaerobic digestion of cattle manure. *Biosystem Engineering*. **84**: 231–238.
- Energy Commission, Malaysia. 2002. *The New Five-Fuel Diversification Strategy*. 2001.
- Environmental Quality Act (Prescribed Premises) (Crude Palm Oil) Order 1977 - P.U.(A) 199/77.
- Environmental Quality Act (Scheduled Wastes) Regulations 2005 - P.U. (A) 294/2005.
- Ergüder, E.H., Tezel, U., Güven, E. and Demirer, G.N. 2001. Anaerobic biotransformation and methane potential in batch and UASB reactors. *Waste Management*. **21**: 643-650.
- Esteban, M.B., García, A.J., Ramos, P. and Márquez, M.C. 2010. Sub-critical water hydrolysis of hog hair for amino acid production. *Bioresource Technology*. **101**: 2472–476.
- Fang, D., Quan-Bao, Z., Jin-Bao, Z., Guo-Ping, S., Yong, T., Zhong-Hua, T., Han-Qing, Y., Yu-You, L. and Hideki, H. 2010. Monitoring the restart-up of an upflow anaerobic sludge blanket (UASB) reactor for the treatment of a soybean processing wastewater. *Bioresource Technology*. **101**: 1722–1726.
- Fang, H.H.P. and Chui, H.K. 1994. Comparison of startup performance of four anaerobic reactors for the treatment of high-strength wastewater. *Resources Conservation and Recycling*. **11**: 123-138.
- Fang, H.H.P., Li, Y.Y. and Chui, H.K. 1995. UASB treatment of wastewater with concentrated mixed VFA. *ASCE Journal of Environmental Engineering*. **121**(2): 153-60.
- Fang, C., O-Thong, S., Boe, K. and Angelidaki, I. 2011. Comparison of UASB and EGSB reactors performance, for treatment of raw and deoiled palm oil mill effluent (POME). *Journal of Hazardous Materials*. **189**: 229–234.

- Fernandez, J., Perez, M. and Romero, L.I. 2008. Effect of substrate concentration on dry mesophilic anaerobic digestion of organic fraction of municipal solid waste (OFMSW). *Bioresource Technology*. **99**: 6075–6080.
- Fezzani, B. and Cheikh, R.B. 2010. Two-phase anaerobic co-digestion of olive mill wastes in semi-continuous digesters at mesophilic temperature. *Bioresource Technology*. **101**: 1628–1634.
- Francese, A.P., Aboagye-Mathiesen, G., Olesen, T., Co'rdoba, P.R. and Sineriz, F. 2000. Feeding approaches for biogas production from animal wastes and industrial effluents. *World Journal of Biotechnology*. **16**: 147-150.
- García, H., Rico, C., García, P.A. and Ric, J.L. 2008. Flocculants effect in biomass retention in a UASB reactor treating dairy manure. *Bioresource Technology*. **99**: 6028-6036.
- Garcia, J.L., Patel, B.K.C. and Ollivier, B. 2000. Taxonomic, phylogenetic, and ecological diversity of methanogenic Archaea. *Anaerobe*. **6**: 205-226.
- Gavala, H.N., Kopsinis, H., Skiadas, I.V., Stamatelatou, K. and Lyberatos, G. 1999. Treatment of Dairy Wastewater Using an Upflow Anaerobic Sludge Blanket Reactor. *Journal of Agricultural Engineering Research*. **73**: 59–63.
- Gerardi, M.H. 2003. *The Microbiology of Anaerobic Digesters*, USA: John Wiley and Sons, Inc.
- Gerardi, M.H., 2006. *Wastewater Bacteria*. New Jersey: Wiley-Interscience.
- Gijzen, H.J. 2001 Anaerobes, aerobes and phototrophs, a winning team for wastewater management. *Water Science and Technology*. **44**: 123-132.
- Gooden, J., Finlayson, M. and Low, E.W. 2001. A further study of the anaerobic bio-treatment of malt whisky distillery Pot ale using an UASB system. *Bioresource Technology*. **78**: 155-160.
- Goodwin, J.A.S. and Stuart, J.B. 1994. Anaerobic digestion of malt whisky distillery pot ale using upflow anaerobic sludge blanket reactors. *Bioresource Technology*. **49**: 75-81.
- Goodwin, J.A.S., Wase, D.A.J. and Forster, C.F. 1992. Pre-granulated seeds for UASB reactors: how necessary are they?. *Bioresource Technology*. **41**: 71-79.
- Grady, C.P.L., Jr., Daigger, G.T. and Lim, H.C. 1999. *Biological Wastewater Treatment*. 2nd edition. Revised and expanded. New York: Marcel Dekker, Inc.
- Grover, R., Marwaha, S.S. and Kennedy, J.F. 1999. Studies on the use of an anaerobic baffled reactor for the continuous anaerobic digestion of pulp and paper mill black liquors. *Process Biochemistry*. **39**: 653-657.

- Guermoud, N., Ouaginia, F., Avdelmalek, F., Taleb, F. and Addou, A. 2009. Municipal solid waste in Mostagnem city (Western Algeria). *Waste Management*. **29**: 896–902.
- Guiot, S.R., Arcand, Y. and Chavarie, C. 1992. Advantages of fluidization on granule size and activity development in upflow anaerobic sludge bed reactors. *Water Science and Technology*. **26**: 897-906.
- Gunaseelan, V.N. 1997 Anaerobic digestion of biomass for methane production: A review. *Biomass and Bioenergy*. **13**: 83-114.
- Guo, L., Shi, Y., Zhang, P., Wu, L., Gai, G.S., Wang, H. and Xiao, D.L. 2011. Investigations, analysis and study on biogas utilization in cold region of North China. *Advanced Material Research*. **183–185**: 673–677.
- Han, S.K., Kim, S.H. and Shin, H.S. 2005. UASB treatment of wastewater with VFA and alcohol generated during hydrogen fermentation of food waste. *Process Biochemistry*. **40**: 2897-2905.
- Hanssan, M.N., Chong, T.L., Rahman, M., Salleh, M.N., Zakaria, Z. and Away, M. 2001. Solid Waste Management – with Special Attention to Malaysia. University of Putra, Malaysia.
- Hao, X., Heijnen, J.J. and van Loosdrecht, M.C.M. 2002. Sensitivity analysis of a biofilm model describing a one-stage completely autotrophic nitrogen removal (CANON) process. *Journal of Biotechnology Bioengineering*. **77**(3): 266-277.
- Harada, H., Uemura, S., Chen, A.C. and Jayadevan, J. 1996. Anaerobic treatment of a recalcitrant distillery wastewater by a thermophilic UASB reactor. *Bioresource Technology*. **55**: 215-221.
- Harper, S.R. and Pohland, F.G. 1986. Recent trends in hydrogen management during anaerobic biological treatment. *Journal of Biotechnology Bioengineering*. **28**: 585-602.
- Hartmann, H and Ahring, B.K. 2006. Strategies for the anaerobic digestion of the organic fraction of municipal solid waste: an overview. *Water Science and Technology*. **53**(8): 7-22.
- Heertjes, P.M. and van der Meer, R.R. 1978. Dynamics of liquid flow in an up-flow reactor used for anaerobic treatment of wastewater. *Journal of Biotechnology Bioengineering*. **20**: 1577-1594.
- Hendriksen, H.V. and Ahring, B.K. 1996. Intergrated removal of nitrate and carbon in an upflow anaerobic sludge blanket (UASB) reactor: operating performance. *Water Research*. **30**(6): 1451-1458.

- Henson, I.E. 2009. Modelling carbon sequestration and greenhouse gas emissions associated with oil palm cultivation and land-use change in Malaysia—a re-evaluation and a computer model. *MPOB Technology*—No 31, May 2009.
- Hernandez-Berriel, M.C., Benavides, L.M., Perez, D.J.G. and Delgado, O.B. 2008. The effect of moisture regimes on the anaerobic degradation of municipal solid waste from Metepec (Mexico). *Waste Management*. **28**: 14–20.
- Hitam, S. 1999. Sustainable energy policy and strategies: a prerequisite for the concerted development and promotion of the renewable energy in Malaysia. On line. www.epu.jpm.my; <http://www.doe.gov.my/v2/files/legislation/pua0294y2005.pdf>
- Huang, J.S., Wu, C.S. and Chen, C.M. 2005. Microbial activity in a combined UASB–activated sludge reactor system. *Chemosphere*. **61**: 1032–1041.
- Huang, L., Zhang, B., Gao, B., Feng, L., 2009. Application of anaerobic granular sludge to treatment of fishmeal industry wastewaters under highly saline conditions. *International Conference on Energy and Environmental Technology*. Guilin, China.
- Huber, H., Thomm, M., Konig, H., Thies, G. and Stetter, K.O. 1982. *Methanococcus thermolithotrophicus*, a novel thermophilic lithotrophic methanogen. *Archives of Microbiology*. **132**: 47–50.
- Hulshoff Pol, L.W. 1989. *The phenomenon of granulation of anaerobic sludge*. PhD thesis, Wageningen Agricultural University, Wageningen, The Netherlands.
- Hulshoff Pol, L.W., de Zeeuw, W.J., Velzeboer, C.T.M. and Lettinga, G. 1983. Granulation in UASB-reactors. *Water Science and Technology*. **15**: 291–304.
- Ibrahim, A., Yeoh, B.G., Cheah, S.C., Ma, A.N., Ahmad, S., Chew, T.Y., Raj, R. and Wahid, M.J.A. 1984. Thermophilic anaerobic contact digestion of palm oil mill effluent. *Water Science and Technology*. **17**: 155–165.
- Ike, M., Inoue, D., Miyano, T., Liu, T.T., Sei, K., Soda, S. and Kadoshin, S. 2010. Microbial population dynamics during startup of a full-scale anaerobic digester treating industrial food waste in Kyoto eco-energy project. *Bioresource Technology*. **101**: 3952–3957.
- Ince, O., Kolukirik, M., Oz, N.A. and Ince, B.K. 2005. Comparative evaluation of full-scale UASB reactors treating alcohol distillery wastewaters in terms of performance and methanogenic activity. *Journal of Chemical Technology Biotechnology*. **80**: 138–144.
- Inoko, A., Miyamatsu, K., Sugahara, K. and Harada, Y., 1979. On some organic constituents of city refuse composts produced in Japan. *Soil Science Plant Nutrients*. **25**(2): 225–234.

- Insam, H and M. de Bertoldi. 2007. "Compost Science and Technology". Waste Management Series. Volume 8, pp34.
- Intech, K.S. 2003. *Trash and urine from the sewer?* By Dr. J. King and Prof. M.C.M. van Loosdrecht.
- IPCC, 2006. *Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories*. Reference Manual. Chapter 5 Land-use change & Forestry.
- Ishigaki, T., Yamada, M., Nagamori, M., Ono, Y. and Inoue, Y. 2005. Estimation of methane emission from whole waste landfill site using correlation between flux and ground temperature. *Environmental Geology*. **48**: 845-853.
- Isik, M. and Sponza, D.T. 2005. Effects of alkalinity and co-substrate on the performance of an upflow anaerobic sludge blanket (UASB) reactor through decolorization of Congo red azo dye. *Bioresource Technology*. **96**: 633-643.
- Ivan, L.W.C. and Herbert, F.H.P. 1998. Effect of temperature shock to thermophilic granules. *Water Research*. **31**: 2626-2632.
- Jantsch, T.G., Angelidaki, I., Schmidt, J.E., de Hvidsten, B.E.B. and Ahring, B.K. 2002. Anaerobic biodegradation of spent sulphite liquor in a UASB reactor. *Bioresource Technology*. **84**(1): 15-20.
- Jarrell, K.F. and Kalmokoff, M.L. 1988. Nutritional requirements of the methanogenic archaeobacteria. *Canadian Journal of Microbiology*. **34**: 557-576.
- Jeison, D. and Chamy, R. 1998. Novel technique for measuring the size distribution of granules from anaerobic reactors for wastewater treatment. *Biotechnology Technology*. **12** (9): 659-662.
- Jenkins, S.R., Morgan, J.M. and Sawyer, C.L. 1983. Measuring anaerobic sludge digestion and growth by a simple alkalimetric titration. *Journal of Water Pollution Control Federation*. **55**: 448-453.
- Jeong, E., Kim, H., Nam, J. and Shin, H. 2010. Enhancement of bioenergy production and effluent quality by integrating optimized acidification with submerged anaerobic membrane bioreactor. *Bioresource Technology*. **101**: 1873-2976.
- Jingura, R.M. and Matengaifa, R. 2009. Optimization of biogas production by anaerobic digestion for sustainable energy development in Zimbabwe. *Renew. Sustainable Energy Reviews*. **13**: 1116-1120.
- Kadam, P.C. and Boone, D.R. 1996. Influence of pH on ammonia accumulation and toxicity in halophilic, methylotrophic methanogens. *Applied Environmental Microbiology*. **62**: 4486-4492.

- Kalago, Y. and Verstraete, W. 1999. Development of anaerobic sludge bed (ASB) reactor technologies for domestic wastewater treatment: motives and perspectives. *World Journal of Microbiology and Biotechnology*. **15**: 524-534.
- Kalyuzhnyi, S., de los Santos, L.E. and Martinez, J.R. 1998. Anaerobic treatment of raw and preclarified potato-maize wastewater in a UASB reactor. *Bioresource Technology*. **66**: 198-199.
- Kalyuzhnyi, S.V., Skylar, V.I., Davlyatshina, M.A., Parshina, S.N., Simankova, M.V., Kostrikina, N.A. and Nozhevnikova, A.N. 1996. Organic removal and microbiological features of UASB-reactor under various organic loading rates. *Bioresource Technology*. **55**: 47-54.
- Kamarudin, W.N.B. 2008. The CDM/sustainable energy market in Malaysia, Malaysian energy center, Kuala Lumpur, Malaysia.
- Kannan, R., Leong, K.C., Osman, R., Ho, H.K. and Tso, C.P. 2005. Gas-fired combined cycle plant in Singapore: energy use, GWP and cost-a life cycle approach. *Energy Conversion Management*. **46**(13-14): 2145-2157.
- Kaparaju, P. and Angelidaki, I. 2007. Effect of temperature and active biogas process on passive separation of digested manure. *Bioresource Technology*. DOI: 10.1016/j.biortech2007.02.003).
- Kaparaju, P., Buendia, I., Ellegaard, L. and Angelidakia, I. 2008. Effects of mixing on methane production during thermophilic anaerobic digestion of manure: lab-scale and pilot-scale studies. *Bioresource Technology*. **99**: 4919-4928.
- Kapdan, I.K. and Kargi, F. 2006. Bio-hydrogen production from waste materials. *Enzyme Microbial Technology*. **38**: 569-582.
- Kasperski, A. 2008. Modelling of cells bioenergetics, *Acta Biotheoretica*. **56**: 233-247.
- Karagiannidis, A. and Perkoulidis, G. 2009. A multi-criteria ranking of different technologies for the anaerobic digestion for energy recovery of the organic fraction of municipal solid wastes. *Bioresource Technology*. **100**: 2355-2360.
- Karim, K. and Gupta, S.K. 2003. Continuous biotransformation and removal of nitrophenols under denitrifying conditions. *Water Research*. **37**: 2953-2959.
- Karim, K., Hoffmann, R., Klasson, K.T. and Al-Dahhan, M.H. 2005a. Anaerobic digestion of animal waste: effect of mode of mixing. *Water Research*. **39**: 3597-3606.

- Karim, K., Hoffmann, R., Klasson, T. and Al-Dahhan, M.H. 2005b. Anaerobic digestion of animal waste: waste strength versus impact of mixing. *Bioresource Technology*. **96**: 1771-1781.
- Karim, K., Klasson, K.T., Hoffmann, R., Drescher, S.R., DePaoli, D.W. and Al-Dahhan, M.H. 2005. Anaerobic digestion of animal waste: effect of mixing. *Bioresource Technology*. **96**: 1607-1612.
- Kashyap, D.R., Dadhich, K.S. and Sharma, S.K. 2003. Biomethanation under psychrophilic conditions: a review. *Bioresource Technology*. **87**: 147–153.
- Kathirvale, S., Yunus, M.N.M., Sopian, K. and Samsuddin, A.H. 2003. Energy potential from municipal solid waste in Malaysia. *Renewable Energy*. **29**: 559-567.
- Kaul, S.N. and Nandy, T. 1997. Biogas recovery from industrial wastewaters. *Journal of Indian Association for Environmental Management*. **24**(3): p. 125.
- Kennedy, J.L. and Droste, R.L. 1985. Startup of anaerobic downflow stationary fixed film (DSFF) reactors. *Biotechnology and Bioengineering*. **27**: 1152-1165.
- Keyser, M., Witthuhn, R.C., Ronquest, L.C. and Britz, T.J. 2003. Treatment of winery effluent with upflow anaerobic sludge blanket (UASB) - granular sludges enriched with *Enterobacter sakazakii*. *Biotechnology Letters*. **25**(22): 1893-1898.
- Khanal, S.K., Chen, W.H., Li, L. and Sung, S. 2004. Biological hydrogen production: effects of pH and intermediate products. *International Journal of Hydrogen Energy*. **29**: p. 1123.
- Kim, J.K., Oh, B.R., Chun, Y.N. and Kim, S.W. 2006. Effects of temperature and hydraulic retention time on anaerobic digestion of food waste. *Journal of Bioscience Bioenergy*. **102**: 328-332.
- Kim, M., Ahn, Y.H. and Speece, R.E. 2002. Comparative process stability and efficiency of anaerobic digestion; mesophilic vs. thermophilic. *Water Research*. **36**: 4369-4385.
- Kim, M., Gomec, C.Y., Ahn, Y. and Speece, R.E. 2003. Hydrolysis and acidogenesis of particulate organic material in mesophilic and thermophilic anaerobic digestion. *Environmental Technology*. **24**: 1183-1190.
- Komemoto, K., Lim, Y.G., Nagao, N., Onoue, Y., Niwa, C. and Toda, T. 2009. Effect of temperature on VFA's and biogas production in anaerobic solubilization of food waste. *Waste Management*. **29**: 2950-2955.
- Kosaka, T., Uchiyama, T., Ishii, S., Enoki, M., Imachi, H., Kamagata, Y., Ohashi, A., Harada, H., Ikenaga, H. and Watanabe, K. 2006. Reconstruction and regulation of the central catabolic pathway in the thermophilic propionate-oxidizing syntroph *Pelotomaculum thermopropionicum*. *Journal of Bacteriology*. **188**: 202–210.

- Kosmatka, S.H., Kerkhoff, B., Panarese, W.C., MacLeod, N.F. and McGrath, R.J. 2002. *Design and Control of Concrete Mixtures*. 7th edition. Cement Association of Canada, Ottawa.
- Kubaská, M., Sedláček, S., Bodík, I. and Kissová, B. 2010. Food Waste as Biodegradable Substrates for Biogas Production. 37th *International Conference of SSCHE*. May 24–28, 2010, Tatranské Matliare, Slovakia.
- Kujawa, R.K. and Zeeman, G. 2006. Anaerobic treatment in decentralized and source-separation-based sanitation concepts. *Review in Environmental Science and Biotechnology*. **5**: 115-139.
- Kuo, W.C. and Lai, W.L. 2010. Treatment of kitchen waste using a mobile thermophilic anaerobic digestion system. *Renewable Energy*. **35**: 2335-2339.
- Lastella, G., Testa, C., Cornacchia, G., Notornicola, M., Voltasio, F. and Sharma, V.K. 2002. Anaerobic digestion of semi-solid organic waste: biogas production and its purification. *Energy Conservation Management*. **43**: 63–75.
- Lasch, J., Koelsch, R. and Kretschmer, K. 1987. Continuous production of protein hydrolysates in immobilized enzyme reactors. *Acta Biotechnological*. **7**(3): 227–235.
- Lata, K., Rajeshwari, K.V., Pant, D.C. and Kishore, V.V.N. 2002. Volatile fatty acid production during anaerobic mesophilic digestion of tea and vegetable market wastes. *World Journal of Microbiology Biotechnology*. **18**: 589–592.
- Lau, I.W.C. and Fang, H.H.P. 1997. Effect of temperature shock to thermophilic granules. *Water Research*. **31**: 2626-2632.
- Laubscher, A.C.J., Wentzel, M.C., Le Roux, J.M.W. and Ekama, G.A. 2001. Treatment of grain distillation wastewater in an upflow anaerobic sludge bed (UASB) system. *Water SA*. **27**(4): 433-444.
- Lee, D.H., Behera, S.K., Kim, J. and Park, H.S. 2009b. Methane production potential of leachate generated from Korean food waste recycling facilities: a lab scale study. *Waste Management*. **29**: 876–882.
- Lee, M., Hidaka, T., Hagiwara, W. and Tsuno, H., 2009a. Comparative performance and microbial diversity of hyperthermophilic and thermophilic co-digestion of kitchen garbage and excess sludge. *Bioresource Technology*. **100**: 578–585.
- Lepisto, S.S. and Rintala, J.A. 1997. Start-up and operation of laboratory-scale thermophilic upflow anaerobic sludge blanket reactors treating vegetable processing wastewaters. *Journal of Chemical Technology and Biotechnology*, **68**: 331-339.

- Lesteur, M., Bellon-Maurel, V., Gonzalez, C., Latrille, E., Roger, J.M., Junqua, G. and Steyer, J.P., 2010. Alternative methods for determining anaerobic biodegradability: a review. *Process Biochemistry*. **45**: 431–440.
- Lettinga, G. 1995 Anaerobic digestion and wastewater treatment systems. *Antonie van Leeuwenhoek*. **67**: 3-28.
- Lettinga, G. 2001. Digestion and degradation, air for life. *Water Science and Technology*, **44**(8): 157-176.
- Lettinga, G. and Hulshoff Pol, L.W. 1991. UASB-process design for various types of wastewaters. *Water Science and Technology*. **24**(8): 87-107.
- Lettinga, G., Grin, P.C., Roersma, R.E. and Hobma, S.W. 1984. High rate anaerobic wastewater treatment using the UASB reactors under a wide range of temperature condition. *Biotechnology and Genetic Engineering Reviews*. **2**: 253-284.
- Lettinga, G., Hulshoff Pol, L.W., Koster, I.W., Wiegant, W.M., De Zeeuw, W.J., Rinzema, A., Grin, P.C., Roersma, R.E. and Homba, S.W. 1983 High-rate anaerobic wastewater treatment using UASB reactor under a wide range of temperature conditions. *Biotechnology and Genetic Engineering Reviews*. **2**: 253-284.
- Lettinga, G., van Velseo, A.F.M., Hobma, S.W. and de Zeeuw, W. 1980. Use of the upflow sludge blanket (USB) reactor concept for biological wastewater treatment, especially for anaerobic treatment. *Biotechnology Bioengineering*. **22**: 699-734.
- Ling, Y.L. 2007. *Treatability of palm oil mill effluent (POME) using black liquor in an anaerobic treatment process*. Master Thesis. Universiti Sains Malaysia.
- Linke, B., Heiermann, M., Mumme, J., 2006. Results of monitoring the pilot plants Pirow and Clausnitz. In: Rohstoffe, F.N. (Ed.), Solid-State Digestion–State of the Art and Further R&D Requirements, vol. 24. Gülzower Fachgespräche, pp. 112–130.
- Liu, C., Yuan, X., Zeng, G., Li, W. and Li, J. 2008. Prediction of methane yield at optimum pH for anaerobic digestion of organic fraction of municipal solid waste. *Bioresource Technology*. **99**: 882–888.
- Liu, W.T., Chan, O.C. and Fang, H.H.P. 2002. Microbial community dynamics during start-up of acidogenic anaerobic reactors. *Water Research*. **36**: 3203-3210.
- Lolos, G., Parissakis, G. and Skordilis, A. 1994. Polluting Characteristics and Lime Precipitation of Olive Mill Wastewater, *Journal of Environmental Science Health*. **29**: 1349-1356.

- Lowe, S.E., Jain, M.K. and Zeikus, J.G. 1993. Biology, Ecology, and Biotechnological Applications of Anaerobic Bacteria Adapted to Environmental Stresses in Temperature, pH, Salinity, or Substrates. *Microbiological Reviews*. **57**(2): 451-509.
- Luo, G., Xie, L., Zhou, Q., Angelidaki, I., 2011. Enhancement of bioenergy production from organic wastes by two-stage anaerobic hydrogen and methane production process. *Bioresource Technology*. doi: 10.1016/j.biortech. 2011.02.012.
- Luostarinen, S.A. and Rintala, J.A. 2005. Anaerobic on-site treatment of black water and dairy parlour wastewater in UASB-septic tanks at low temperatures, *Water Research*. **39**(2–3): 436-448.
- Lynd, L.R., Weimer, P.J., van Zyl, W.H. and Pretorius, I.S. 2002. Microbial cellulose utilization: fundamentals and biotechnology. *Microbiology and Molecular Biology Reviews*. **66**(3): 506-577.
- Ma, A.N. 1999. Innovations in management of palm oil mill effluent, *The Planter*. **75**(881): 381-389.
- Ma, A.N. and Ong, A.S.H. 1985. Anaerobic digestion of palm oil mill. *PORIM Bulletin*. **4**: 35-45.
- Ma, A.N. Cheah, S.C. and Chow, M.C. 1993. Current status of palm oil processing wastes management. In: *Waste Management in Malaysia: Current Status and Prospects for Bioremediation*. pp. 111–136.
- Ma, A.N., Tajima, Y., Asahi, M., Hanif, J., 1997. Effluent treatment–evaporation method. *PORIM Engineering News*. **44**: 7–8.
- Ma, J., Mungoni, L.J., Verstraete, W. and Carballa, M. 2009. Maximum removal rate of propionic acid as a sole carbon source in UASB reactors and the importance of the macro- and micro-nutrients stimulation. *Bioresource Technology* **100**: 3477–3482.
- Mackie, A., Boilard, S., Walsh, M.E. and Lake, C.B. 2010. Physicochemical characterization of cement kiln dust for potential reuse in acidic wastewater treatment. *Journal of Hazardous Materials*. **173**: 283-291.
- Malakahmad, A., Zain, S.M., Basri, N.E.A., Kutty, S.R.M. and Isa, M.H. 2009. Identification of Anaerobic Microorganisms for Converting Kitchen Waste to Biogas. *World Academy of Science, Engineering and Technology*. **60**: 882–885.
- Malaysian Palm Oil Board (MPOB). Overview of the Malaysian oil palm industry 2009; 2010.
- Malaysian–German Chamber of Commerce. Market watch 2008 – the environmental sector in Malaysia. See also: http://www.mgcc.com.my/fileadmin/user_upload/Dokumente/Sektorreports/Environment_E__08.pdf; 2008.

- Malina, Jr.J.F. and Pohland, F.G. 1992. *Design of Anaerobic Processes for the Treatment of Industrial and Municipal Wastes*. Pennsylvania: Technomic Publishing Company, Inc.
- Metcalf and Eddy, 2003. *Wastewater Engineering: Treatment and Reuse*, 4th edition. New York: McGraw Hill, Inc.
- Michaud, S., Bernet, N., Buffiere, P., Roustan, M. and Moletta, R. 2002. Methane yield as a monitoring parameter for the start-up of anaerobic fixed film reactors. *Water Research*. **36**: 1385-1391.
- Ministry of Energy, Water and Communications (MEWC). 2004. Malaysia energy center, Study on clean development mechanism potential in the waste sectors in Malaysia. Final report on renewable energy and energy efficiency component (subcomponent III: CDM action plan).
- Minowa, T., Dote, Y., Sawayama, S., Yokoyama, S. and Murakami, M. 1995. Phase changing of garbage from solid to liquid slurry by thermal liquidization. *Journal of Chemical Engineering*. **28**: 727-731.
- Miranda, L.A.S., Henriques1, J.A.P. and Monteggia, L.O. 2005. A full-scale UASB reactor for Treatment of pig and cattle Slaughterhouse wastewater with a High oil and grease content. *Brazilian Journal of Chemical Engineering*. **22**(4): 601-610.
- Moawad, A., Mahmoud, U.F., El-Khateeb, M.A. and El-Molla, E. 2009. Coupling of sequencing batch reactor and UASB reactor for domestic wastewater treatment. *Desalination*. **242**: 325-335.
- Movahedyan, H., Assadi, A. and Parvaresh, A. 2007. Performance evaluation of an anaerobic baffled reactor treating wheat flour starch industry wastewater. *Iranian Journal of Environmental Health Science Engineering*. **4**: 77-84.
- MPOB, 2009. Malaysian Palm Oil Board Information Series, ISSN 1511-7871, June 2009.
- Mumme, J., Linke, B. and Tölle, R. 2010. Novel upflow anaerobic solid-state (UASS) reactor. *Bioresource Technology*. **101**: 592–599.
- Musee, N., Lorenzen, L. and Aldrich, C. 2006. Decision support for waste minimization in wine-making processes. *Environmental Progress*. **25**(1): 56-63.
- Nadais, H., Capela, I. and Arroja, L. 2006. Intermittent vs continuous operation of upflow anaerobic sludge bed reactors for dairy wastewater and related microbial changes. *Water Science and Technology*. **54**(2): 103-109.

- Nadai, H., Capela, I., Arroja, L. and Duarte, A. 2005. Treatment of dairy wastewater in UASB reactors inoculated with flocculent biomass. *Water SA*. **31**(4): 603-608.
- Nadai, H., Capela, I., Arroja, L., Duarte, A., 2005a. Optimum cycle time for intermittent UASB reactors treating dairy wastewater. *Water Research*. **39**: 1511-1518.
- Nadzri, Y. 2008. Overview of solid waste management in Malaysia. *Workshop on carbon finance and municipal solid waste management in Malaysia*. p. 4.
- Najafpour, G.D., Zinatizadeh, A.A.L., Mohamed, A.R., Isa, M.H. and Nasrollahzadeh, H. 2006. High-rate anaerobic digestion of palm oil mill effluent in an up-flow sludge-fixed film bioreactor. *Process Biochemistry*. **41**: 370-379.
- Nayono, S.E., Gallert, C. and Winter, J. 2010. Co-digestion of press water and food waste in a biowaste digester for improvement of biogas production. *Bioresource Technology*. **101**: 6987–6993.
- Ngoc, U.N. and Schnitzer, H. 2009. Sustainable solution for solid waste management in Southeast Asian countries. *Waste Management*. **29**: 1982-1995.
- Nicholson, J.P. 1988a. What are We Doing With Sludge? *Pollution Engineering, Northbrook, Illinois*. USA.
- Nicholson, J.P. 1988b. *Method of Treating Wastewater Sludge, Patent and Trademark Office*. United States Department of Commerce, Washington, DC, USA, Patent No.: 4,781,842.
- Nicholson, J.P. and Burnham J.C. 1988. *Treating Wastewater Sludge with Alkaline Materials for Decontamination and Conversion into Fertilizer*. European Patent Application no. EP Z83153.
- Noyola, A., Morgan-Sagastume, J.M. and Lopez-Hernandez, J.E. 2006. Treatment of biogas produced in anaerobic reactors for domestic wastewater: odor control and energy/resource recovery. *Reviews in Environmental Science and Biotechnology*, **5**: 93-114.
- Oh, G., Zhang, L. and Jahng, D. 2008. Osmoprotectants enhance methane production from the anaerobic digestion of food wastes containing a high content of salt. *Journal of Chemical Technology Biotechnology*. **83**: 1204–1210.
- Oh, T.H., Pang, S.Y. and Chua, S.C. 2010. Energy policy and alternative energy in Malaysia: issues and challenges for sustainable growth. *Renewable and Sustainable Energy Reviews*. **14**(4): 1241–1252.

- Ong, H.C. Mahlia, T.M.I. and Masjuki, H.H. 2011. A review on energy scenario and sustainable energy in Malaysia. *Renewable and Sustainable Energy Reviews*. **15**: 639–647.
- Öztürk, I., Irmak, S., Hesenov, A. and Erbatur, O. 2010. Hydrolysis of kenaf (*Hibiscus cannabinus* L.) stems by catalytical thermal treatment in subcritical water. *Biomass and Bioenergy*. **34**:1578–1585.
- Palenzuela., R.A., Zeeman, G., Lubberding, H.J., Lettinga, G. and Alaerts, G.J. 2002. Treatment of fish processing wastewater in a one- or two-step upflow anaerobic sludge blanket (UASB) reactor. *Water Science and Technology*. **45**(10): 207-212.
- Palm Waste Cogeneration (PWC): Renewable Cogen Asia; 2009. Available from: <http://www.rcogenasia.com/palm.html> (cited 2010 July).
- Paola, B., Francesco, F., Daniele, P. and David, B. 2007. Application of food waste disposers and alternate cycle's process in small-decentralized towns: A case study. *Journal of Water Research*.
- Paravira, W., Murto, M., Zvanya, R. and Mattiasson, B. 2005. Comparative performance of a UASB reactor and an anaerobic packed-bed reactor when treating potato waste leachate. *Renewable Energy*. **12**: 1-11.
- Parawira, W., Murto, M., Zvauya, R. and Mattiasson, B. 2004. Anaerobic batchdigestion of solid potato waste alone and in combination with sugar beet leaves. *Renewable Energy*. **29**: 1811–1823.
- Parawira, W., Murto, M., Zvauya, R. and Mattiasson, B. 2006. Comparative performance of a UASB reactor and an anaerobic packed-bed reactor when treating potato waste leachate. *Renewable Energy*. **31**: 893-903.
- Park, C., Lee, C., Kim, S., Chen, Y. and Chase, H.A. 2005. Upgrading of anaerobic digestion by incorporating two different hydrolysis processes. *Journal of Bioscience Bioengineering*. **100**: 164–167.
- Park, Y., Tsuno, H., Hidaka, T. and Cheon, J. 2008. Evaluation of operational parameters in thermophilic acid fermentation of kitchen waste. *Material Cycling Waste Management*. **10**: 46–52.
- Patel, H. and Madamwar, D. 2002. Effects of temperature and organic loading rates on biomethanation of acidic petrochemical wastewater using an anaerobic upflow fixed-film reactor. *Bioresource Technology*. **82**: 65-71.
- Paul, E.A. and Clark, F.E., 1996. "Soil Microbiology and Biochemistry". 2nd ed. Academic Press, San Diego, CA.

- Pavlostathis, S.G. and Giraldo, G. E. 1991. Kinetics of anaerobic treatment. *Water Science and Technology*. **24**: 35-59.
- PCA (Portland Cement Association). 1992. An Analysis of Selected Trace Metals in Cement and Kiln Dust, SP109, Skokie, Illinois, USA.
- PCA (Portland Cement Association). 2007. Report on Sustainable Manufacturing, Skokie, Illinois, USA.
- Perez, M., Rodriguez-Cano, R., Romero, L.I. and Sales, D. 2007. Performance of anaerobic thermophilic fluidized bed in the treatment of cutting-oil wastewater. *Bioresource Technology*. **98**: 3456–3463.
- Perez, M., Romero, L.I. and Sales, D. 1998. Comparative performance of high rate anaerobic thermophilic technologies treating industrial wastewater. *Water Research*. **32**(3): 559-664.
- Poh, P.E. and Chong, M.F. 2009. Development of anaerobic digestion methods for palm oil mill effluent (POME) treatment. *Bioresource Technology*. **100**: 1–9.
- Punal, A. and Lema, J.M. 1999. Anaerobic treatment of wastewater from a fish-canning factory in a full-scale upflow anaerobic sludge blanket (UASB) reactor. *Water Science and Technology*. **40**(8): 57-62.
- Ramasamy, E.V., Gajalakshmi, S., Sanjeevi, R., Jithesh, M.N. and Abbasi, S.A. 2004. Feasibility studies on the treatment of dairy wastewaters with up-flow anaerobic sludge blanket reactors. *Bioresource Technology*. **93**: 209-212.
- Rao, A.G., Naidu, V.K., Prasad, K.N., Rao, C.S., Mohan, V., Jetty, A. and Sarma, P.N. 2005. Anaerobic treatment of wastewater with high suspended solids from a bulk drug industry using fixed film reactor (AFFR). *Bioresource Technology*. **96**: 87–93.
- Rao, A.G., Prakash, S.S., Joseph, J., Reddy, A.R. and Sarma, P.N. 2011. Multi stage high rate biomethanation of poultry litter with self mixed anaerobic digester. *Bioresource Technology*. **102**: 729–735.
- Rao, M.S. and Singh, S.P. 2004. Bioenergy conversion studies of organic fraction of MSW: kinetic studies and gas yield–organic loading relationships for process optimization. *Bioresource Technology*. **95**: 173-185.
- Ren, T.T., Mu, Y., Ni, B.J. and Yu, H.Q. 2009. Hydrodynamics of upflow anaerobic sludge blanket reactors. *AIChE Journal*. **55**(2): 516–528.
- Revanuru, S. and Mishra, I.M. 2008. Treatment of catechol bearing wastewater in an upflow anaerobic sludge blanket (UASB) reactor: Sludge characteristics. *Bioresource Technology*. **99**: 8917–8925.

- Riau, V., De la Rubia, M.A. and Pérez, M. 2010. Temperature-phased anaerobic digestion (TPAD) to obtain class A biosolids: a semi-continuous study. *Bioresource Technology*. **101**: 2706–2712.
- Richard, T.L. 1997. “The Kinetics of Solid State Aerobic Biodegradation”. Ph.D. Dissertation, Cornell University, Ithica, NY
- Rincon, B., Raposo, F., Borja, R., Gonzalez, J.M., Portillo, M.C. and Saiz-Jimenez, C.J. 2006. Performance and microbial communities of a continuous stirred tank anaerobic reactor treating two-phases olive mill solid wastes at low organic loading rates. *Biotechnology*. **121**: 534-543.
- Rincón, B., Sánchez, E., Raposo, F., Borja, R., Travieso, L., Martín, M.A. and Martín, A. 2008. Effect of the organic loading rate on the performance of anaerobic acidogenic fermentation of two-phase olive mill solid residue. *Waste Management*. **28**: 870-877.
- Rintala, J.A. 1997. Thermophilic anaerobic treatment of industrial process waters and wastewaters. *Microbiology*. **66**(5): 699-704.
- Rittmann, B.E. and McCarty, P.L. 2001. *Environmental Biotechnology: Principles and Applications*. New York: McGraw Hill.
- Robinson, R.B. and Burnham, J. 2001. Relative dissolution rates of several hydrated limes. *Journal of Environmental Engineering*. **127**: 565-568.
- Ross, W.R., Novella, P.H., Pitt, A.J., Lund, P., Thomson, B.A., King, P.B. and Fawcett, K.S. 1992. Anaerobic Digestion of Wastewater Sludge. WRC Project no 390, TT 55/92, Pretoria, South Africa.
- Ruiz, I., Veiga, M.C., de Santiago, P. and Blfizez, R. 1997. Treatment of slaughterhouse wastewater in a UASB reactor and an anaerobic filter. *Bioresource Technology*. **60**: 251-258.
- Sallis, P.J. and Uyanik, S. 2003. Granule development in a spilt-feed anaerobic baffled reactor. *Bioresource Technology*. **89**: 255-265.
- Sánchez, E., Borja, R., Travieso, L., Martín, A. and Colmenarejo, M.F. 2005. Effect of organic loading rate on the stability, operational parameters and performance of a secondary upflow anaerobic sludge bed reactor treating piggery waste. *Bioresource Technology*. **96**: 335-344.
- Sánchez, E., Borja, R., Weiland, P. and Travieso, L. 2001. Effect of substrate concentration and temperature on the anaerobic digestion of piggery waste in tropical climates. *Process Biochemistry*. **37**: 483-489.

- Sandberg, M. and Ahring, B.K. 1992. Anaerobic treatment of fish meal process waste-water in a UASB reactor at high pH. *Applied Microbiology Biotechnology*. **36**: 800-804.
- Sankaran, S., Khanal, S.K., Jasti, N., Jin, B., Pometto, A.L. and Van Leeuwen, J.H. 2010. Use of filamentous fungi for wastewater treatment and production of high value fungal byproducts: a review. *Critical Reviews of Environmental Science Technology*. **40**: 400-449.
- Sapari, N., Chew, T.V. and Yaziz, M.I. 1996. Treatment of palm oil mill effluent by mesophilic anaerobic digestion with flocculant addition. *Pertanika Journal of Science and Technology*. **4**: p. 263.
- Sari, A.L. and Jukka, A.R. 2005. Anaerobic on-site treatment of black water and dairy parlour wastewater in UASB –septic tanks at low temperatures. *Water Research*. **39**: 436-448.
- Sato, N., Okubo, T., Onodera, T., Lalit, K.A., Ohashi, A. and Harada, H. 2007. Economic evaluation of sewage treatment processes in India. *Journal Environmental Management*. **84**: 447-460.
- Sawajneh, Z., Al-Omari, A. and Halalsheh. M. 2010. Anaerobic treatment of strong sewage by a two stage system of AF and UASB reactors. *Water Science and Technology*. **61**(9): 2399-2406.
- Sawayama, S., Inoue, S., Minowa, T., Tsukahara, K. and Ogi, T. 1997. Thermochemical liquidization and anaerobic treatment of kitchen garbage. *Journal of Fermentation Bioengineering*. **83**: 451-455.
- Sayed, S., van Campel, and Lettinga, L. 1987. Anaerobic treatment of slaughterhouse waste water using a granular sludge UASB reactor. *Biological Wastes*. **21**: 213-226.
- Sayed, S.Z., de Zeeuw, W. and Lettinga, W. 1984. Anaerobic treatment of slaughter house waste using a flocculent sludge UASB reactor. *Agricultural Wastes*. **11**: 197-226.
- Schmidt, J.E. and Ahring, B.K. 1996. Granular sludge formation in upflow anaerobic sludge blanket (UASB) reactors. *Biotechnology Bioengineering*. **49**(3): 229-246.
- Seghezzo, L., Zeeman, G., Van Lier, J.B., Hamelers, H.V.M. and Lettinga G. 1998. A review: The anaerobic treatment of sewage in UASB and SGSB reactors. *Bioresource Technology*. **65**: 175-190.
- Shirai, Y. 2004. Lactic acid production from kitchen garbage and the future scope. *Journal of Japan Society on Water Environment*. **27**: 632-635.

- Siang, L.C. 2006. *Biodegradation of oil and grease in upflow anaerobic sludge blanket reactor for palm oil mill effluent treatment*. Master Thesis. Universiti Teknologi Malaysia, Malaysia.
- Siegrist, H., Vogt, D., Garcia-Heras, J.L. and Gujer, W. 2002. Mathematical model for meso- and thermophilic anaerobic sewage sludge digestion. *Environmental Science Technology*. **36**: 1113-1123.
- Singh, G., Huan, L.K., Leng, T. and Kow, D.W. 1999. Oil palm and the environment. SDN. Bhd, Kuala Lumpur.
- Singh, K.S. and Viraraghavan, T. 1998. Start-Up and Operation of UASB Reactors at 20°C for Municipal Wastewater Treatment. *Journal of Fermentation Bioengineering*. **85**(6): 609-614.
- Singh, K.S. and Viraraghavan, T. 2000. Performance of UASB reactor at 6 to 32 °C in municipal wastewater treatment. *Canadian Journal of Water Quality Research*. **35**(1): 113-24.
- Smith, M.L. and Campbell, C.E. 2000. Effects of Cement Kiln Dust on pH and Phosphorus Concentrations in an Activated Sludge Wastewater Treatment System. *Canadian Journal of Water Quality Research*. Canadian Association on Water Quality, Toronto, Ontario, Canada, 35.
- Song, Y.C., Kwon, S.J. and Woo, J.H. 2004. Mesophilic and thermophilic temperature co-phase anaerobic digestion compared with single-stage mesophilic- and thermophilic digestion of sewage sludge. *Water Research*. **38**: 1653-1662.
- Soto, M., Ligeró, P., Vega, A., Rui, I., Veiga, M.C. and Blázquez, R. 1997. Sludge granulation in UASB digesters treating low strength wastewaters at mesophilic and psychrophilic temperatures. *Environmental Technology*. **18**(11): 1133-1141.
- Sowmeyan, R. and Swaminathan, G. 2008. Evaluation of inverse anaerobic fluidized bed reactor for treating high strength organic wastewater. *Bioresource Technology*. **99**: 3877–3880.
- Speece, R.E. 1996. *Anaerobic Biotechnology for Industrial Wastewaters*. USA: Archae Press.
- Speece, R.E. and Kem, J.A. 1970. The effect of short-term temperature variations on methane production. *Journal of Water Pollution Control Federation*. **42**: 1990-1997.
- Stabnikova, O., Liu, X.Y. and Wang, J.Y. 2008. Digestion of frozen/thawed food waste in the hybrid anaerobic solid–liquid system. *Waste Management*. **28**: 1654–1659.
- Stafford, D.A. 1982. The effects of mixing and volatile fatty acid concentrations on anaerobic digester performance. *Biomass*. **2**: 43-55.

- Stevens, M.A. and Schulte, D.D. 1979. Low temperature digestion of swine manure. *Journal of Environmental Engineering Division ASCE 105 (EE1)*. pp. 33-42.
- Stronach, S.M., Rudd, T. and Lester, J.N. 1987. Start-up of anaerobic bioreactors on high strength industrial wastes. *Biomass*. **13**: 173-197.
- Strydom, J.P., Mostert, J.F. and Britz, T.J. 1995. Anaerobic treatment of synthetic dairy effluent using a hybrid digester. *Water SA*. pp. 125-130.
- Sulaiman, A., Zakaria, M.R., Hassan, M.A., Shirai, Y. and Busu, Z. 2009. Co-Digestion of Palm Oil Mill Effluent and Refined Glycerin Wash Water for Chemical Oxygen Demand Removal and Methane Production. *American Journal of Environmental Science*. **5**: 639-646.
- Syutsubo, K., Harada, H. and Ohashi, A. 1998. Granulation and sludge retainement during start-up of a thermophilic-UASB reactor. *Water Science and Technology*. **38**(8-9): 349-357.
- Syutsubo, K., Harada, H., Ohashi, A. and Suzuki, H. 1997. Effective start-up of thermophilic UASB reactor by seeding mesophilically-grown granular sludge. *Water Science and Technology*. **36**(67): 391-398.
- Syutsubo, K., Yoochatchaval, W., Yoshida, H., Nishiyama, K., Okawara, M., Sumino, H., Araki, N., Harada, H. and Ohashi, A. 2008. Changes of microbial characteristics of retained sludge during low-temperature operation of an EGSB reactor for lowstrength wastewater treatment. *Water Science Technology*. **57**(2): 277-281.
- Tatara, M., Makiuchi, T., Ueno, Y., Goto, M. and Sode, K. 2008. Methanogenesis from acetate and propionate by thermophilic down-flow anaerobic packed-bed reactor. *Bioresource Technology*. **99**: 4786-4795.
- Tawfik, A., Sobheyb, M. and Badawya, M. 2008. Treatment of a combined dairy and domestic wastewater in an up-flow anaerobic sludge blanket (UASB) reactor followed by activated sludge (AS system). *Desalination*. **227**: 167-177.
- Tay, J.H. 1991. Complete reclamation of oil palm wastes. *Resources Conservation and Recycling*. **5**: 383-392.
- Tchobanoglous, G., Burton, F.L. and Stensel, H.D. 2003. *Wastewater Engineering: Treatment and Reuse*. 4th edition. New York: McGraw Hill Companies, Inc.
- Thani, M.I.R.H., Ibrahim, W.W.R. and Sulaiman, M.S. 1999. *Industrial processes and the environment (Handbook No. 3) Crude palm oil industry*. Department of Environment, Malaysia.

- Themelis, N.J. and Ulloa, P.A., 2007. Methane generation in landfills. *Renewable Energy*. **32**: 1243–1257.
- Thong, S.O., Fang, C. and Angelidaki, I. 2010. Thermophilic anaerobic co-digestion of pretreated empty fruit bunches with palm oil mill effluent for efficient biogas production, The 12th World Congress on Anaerobic Digestion (AD12), Water Sci. Technol., 31 October–4 November, 2010, Guadalajara, Mexico.
- Toms P, Leskiw J, Hettiaratchi P. 1995. Greenhouse gas offsets: an opportunity for composting. *Presentation at the 88th Annual Meeting and Exhibition*. San Antonio, Texas, USA: 18-23.
- Tong, S.L. and Jaafar, A.B. 2006. POME Biogas capture, upgrading and utilization. *Palm Oil Engineering Bulletin*. **78**: 11-17.
- Torkian, A., Eqbali, A. and Hashemian, S.J. 2003. The effect of organic loading rate on the performance of UASB reactor treating Slughterhouse effluent. *Resource Conservation and Recycling*. **40**: 1-11.
- Trnovec, W. and Britz, T.J. 1998. Influence of organic loading rate and hydraulic retention time on the efficiency of a UASB reactor treating a canning factory effluent. *Water SA*. **24**(2): 147-152.
- Trzcinski, A.P. and Stuckey, D.C. 2010. Treatment of municipal solid waste leachate using a submerged anaerobic membrane bioreactor at mesophilic and psychrophilic temperatures: analysis of recalcitrants in the permeate using GC-MS. *Water Resource*. **44**: 671–680.
- Tsujimoto, Y., Masuda, J., Fukuya, J., and Ito, H. 1994. N₂O Emissions at solid waste disposal sites in Osaka city. *Journal of Air Waste Manage Association*. **44**:1313-1314.
- Tsukahara, K., Yagishita, T., Ogi, T. and Sawayama, S. 1999. Treatment of Liquid Fraction Separated from Liquidized Food Waste in an Upflow Anaerobic Sludge Blanket Reactor. *Journal of Bioscience and Bioengineering*. **87**: 554-556.
- Uemura, S. and Harada. H. 2000. Treatment of sewage by a UASB reactor under moderate to low temperature conditions. *Bioresource Technology*. **72**: 275-282.
- Uyanik, S., Sallis, P.J. and Anderson, G.K. 2002. The effect of polymer addition on granulation in an anaerobic baffled reactor (ABR). Part. I: Process performance. *Water Research*. **36**: 933-943.
- Uzal, N., Gokacay, C.F. and Demirer, G.N. 2003. Sequential anaerobic/aerobic biological treatment of malt whisky wastewater. *Process Biochemistry*. **39**: 279-286.

- van den Berg, L., Kennedy, K.J. and Samson, R. 1985. Anaerobic downflow stationary fixed film reactor: performance under steady-state and non-steady conditions. *Water Science and Technology*. **17**(1): 89-102.
- van Haandel, A., Kato, M.T., Cavalcanti, P.F.F. and Florencio, L. 2006. Anaerobic reactor design concepts for the treatment of domestic wastewater. *Review on Environmental Science Biotechnology*. **5**(1): 21-38.
- van Haandel, A.C. and Lettinga, G. 1994. *Anaerobic Sewage Treatment; A Practical Guide for Regions with a Hot Climate*. England. John Wiley and Sons.
- van Lier, J.B., Grolle, K.C.F., Stams, A.J.M., de Macario, E.C, and Lettinga, G. 1992. Startup of a thermophilic upflow anaerobic sludge bed (UASB) reactor with mesophilic granular sludge. *Applied Microbiology Biotechnology*. **37**: 130-135.
- van Lier, J.B., Tilche, A., Ahring, B.K., Macarie, H., Moletta, R., Dohanyos, M. Pol, L.W.H., Lens, P. and Verstraete. W. 2001. New perspectives in anaerobic digestion. *Water Science & Technology*. **43**(1): 1-18.
- Vasileios, D. and Alexandros, A. 2010. Two-stage UASB design enables activated-sludge free treatment of easily biodegradable wastewater. *Bioprocess Biosystem Engineering*. **33**: 287–292.
- Veeken, A., Kalyuzhnyi, S., Scharff, H. and Hamelers, B. 2000. Effect of pH and VFA on hydrolysis of organic solid waste. *Journal of Environmental Engineering*. **126** (12): 1076-1081.
- Verma, S. 2002. Anaerobic digestion of biodegradable organics in MSW. A report. pp. 1-56.
- Verstraete, W. 1981. *Biogas*. Environment Foundation Fime Netherland. p. 6.
- Vijayaraghavan, K., Ahmad, D. and Abdul Aziz, M.E. 2007. Aerobic treatment of palm oil mill effluent. *Environmental Management*. **82**: 24-31.
- Visser, A., Gao, Y. and Lettinga, G. 1993. Effects of short-term temperature increases on the mesophilic anaerobic breakdown of sulfate containing synthetic wastewater. *Water Research*. **27**: 541-550.
- Vlissidis, A. and Zouboulis, A.I. 1993. Thermophilic anaerobic digestion of alcohol distillery wastewaters. *Bioresource Technology*. **43**: 131-140.
- von Sperling, M., Freire, V.H. and de Lemos, C.A. 2001. Chernicharo. Performance evaluation of a UASB–activated sludge system treating municipal wastewater. *Water Science and Technology*. **43**(11): 323-328.

- Wahid, M. B., Abdullah, S. N. A. and Henson, I. E. 2005. Oil palm—achievements and potential. *Plant Production Science*. **8**: 288-297.
- Wahid, M.B., Weng, C.K., May, C.Y. and Chin, C.M. 2006. The need to reduce national Greenhouse gases emissions: oil palm Industry's role. *Journal of Oil Palm Research* (Special Issue - April 2006), pp. 1-23.
- Walker, M., Banks, C.J. and Heaven, S. 2009. Two-stage anaerobic digestion of biodegradable municipal solid waste using a rotating drum mesh filter bioreactor and anaerobic filter. *Bioresource Technology*. **100**: 4121–4126.
- Wang, Y.S., Odle, W.S., Eleazer, W.E. and Barlaz, M. A. 1997 Methane potential of food waste anaerobic toxicity of leachate produced during food waste decomposition. *Waste Management and Research*. **15**: 149-167.
- Ward, A.J., Hobbs, P.J., Holliman, P.J. and Jones, D.L. 2008. Optimization of the anaerobic digestion of agricultural resources. *Bioresource Technology*. **99**: 7928–7940.
- Weiland, P. 2006. State of the art of solid-state digestion—recent developments. In: Rohstoffe, F.N. (Ed.), *Solid-State Digestion—State of the Art and Further R&D Requirements*, vol. 24. Gulzower Fachgespräche, pp. 22–38.
- Wiegant, W.M. and Lettinga, G. 1985. Thermophilic anaerobic digestion of sugars in upflow anaerobic sludge blanket reactors. *Biotechnology Bioengineering*. **27**: 1603-1607.
- William, P.B. and David, C.S. 1999. The use of the anaerobic baffled reactor (ABR) for wastewater treatment: a review. *Water Resources*. **33**: 1559–1578.
- Wolmarans, B. and de Villiers, G.H. 2002. Start-up of a UASB effluent treatment plant on distillery. Wastewater. *Water SA*. **28**(1): 63-68.
- Wong, V.T., Show, K.Y., Su, A., Wong, R.J. and Lee, D.J. 2008. Effect of volatile fatty acid composition on upflow anaerobic sludge blanket (UASB) performance. *Journal of Energy and Fuels*. **22**: 108-112.
- Wu, C.S., Huang, J.S., Yan, J.L. and Jih, C.G. 1998. Consecutive reaction kinetics involving distributed fraction of methanogens in fluidized-bed reactor. *Biotechnology and Bioengineering*. **57**(3): 367-379.
- Wu, T.Y., Mohammad, A.W., Jahim, J.M. and Anuar, N. 2009. A holistic approach to managing palm oil mill effluent (POME): biotechnological advances in the sustainable reuse of POME. *Biotechnology Advances*. **27**: 40–52.
- Wu, T.Y., Mohammad, A.W., Jahim, J.M. and Anuar, N. 2010. Pollution control technologies for the treatment of palm oil mill effluent (POME) through end-of-pipe processes. *Journal of Environmental Management*. **91**: 1467–1490.

- Wu, T.Y., Mohammad, A.W., Jahim, M.J. and Anuar, N. 2007. Palm oil mill effluent (POME) treatment and bioresources recovery using ultrafiltration membrane: effect of pressure on membrane fouling. *Biochemical Engineering Journal*. **35**: 309–317.
- Xing, W., Ngo, H.H., Guo, W., Wu, Z., Nguyen, T.T., Cullum, P., Listowski, A. and Yang, N. 2010. Enhancement of the performance of anaerobic fluidized bed bioreactors (AFBBRs) by a new starch based flocculant. *Separation Purification Technology*. **72**: 140–146.
- Yacob, S., Hassan, M.A., Shirai, Y., Wakisaka, M. and Subash, S. 2005. Baseline study of methane emission from open digesting tanks of palm oil mill effluent treatment. *Chemosphere*. **59**: 1575-1581.
- Yacob, S., Shirai, Y., Hassan, M.A., Wakisaka, M. and Subash, S. 2006. Startup operation of semi-commercial closed anaerobic digester for palm oil mill effluent treatment, *Process Biochemistry*. **41**: 962–964.
- Yang, S.F., Tay, J.H. and Liu, Y. 2005. Effect of substrate nitrogen/chemical oxygen demand ratio on the formation of aerobic granules. *Journal of Environmental Engineering*. **31**: 86-92.
- Yang, S.T. and Okos, M.R. 1987. Kinetic study and mathematical modeling of methanogenesis of acetate using pure cultures of methanogens. *Biotechnology Bioengineering*. **30**: 661–667.
- Yeoh, B.G. 2004. A technical and economic analysis of heat and power generation from biomethanation of palm oil mill effluent. *Electric Supply Industry in Transition: Issues and Prospect for Asia*. pp. 20–60.
- Yilmaz, T., Yuceer, A. and Basibuyuk, M. 2008. A comparison of the performance of mesophilic and thermophilic anaerobic filters treating papermill wastewater. *Bioresource Technology*. **99**: 156-163.
- Yoochatchaval, W., Nishiyama, K., Okawara, M., Ohashi, A., Harada, H. and Syutsubo, K. 2008. Influence of effluent-recirculation condition on the process performance of EGSB reactor for treating of low strength wastewater. *Water Science Technology*. **57**: 869–873.
- Younger, P.L., Banwart, S.A. and Hedin, R.S. 2002. *Mine Water: Hydrology, Pollution, Remediation*. Dordrecht: Kluwer Academic.
- Yu, H. and Huang, G.H., 2009. Effects of sodium as a pH control amendment on the composting of food waste. *Bioresource Technology*. **100**: 2005–2011.

- Yu, H.Q. and Fang, H.H.P. 2003. Acidogenic of gelatine-rich wastewater in an up-flow anaerobic reactor: influence of pH and temperature. *Water Research*. **37** (1): 55–66.
- Yu, H.Q., Fang, H.H.P. and Gu, G.W. 2002a. Comparative performance of mesophilic and thermophilic acidogenic upflow reactors. *Process Biochemistry*. **38**: 447-454.
- Yu, H.W., Samani, Z., Hanson, A. and Smith, G. 2002. Energy recovery from grass using two-phase anaerobic digestion. *Waste Management*. **22**: 1-5.
- Zeeman, G. and Saunders, W. 2001. Potential of anaerobic digestion of complex waste(water)s. *Water Science and Technology*. **44**: 115-122.
- Zhang, H., Choi, H.J. and Huang, C.P. 2006. Treatment of landfill leachate by Fenton's reagent in a continuous stirrer tank reactor. *Journal of Hazardous Materials*. **136**: 618-623.
- Zhang, Y., Yan, L., Qiao, X., Chi, L., Niu, X., Mei, Z. and Zhang, Z. 2008. Integration of biological method and membrane technology in treating palm oil mill effluent. *Journal of Environmental Sciences*. **20**: 558–564.
- Zhao, X., He, J. and Cao, J. 2011. Study on Mitigation Strategies of Methane Emission from Rice Paddies in the Implementation of Ecological Agriculture. *Energy Procedia*. **5**: 2474–2480.
- Zhu, B., Gikas, P., Zhang, R., Lord, J., Jenkins, B. and Li, X. 2009. Characteristics and biogas production potential of municipal solid wastes pretreated with a rotary drum reactor. *Bioresource Technology*. **100**: 1122–1129.
- Zhu, G., Ma, Y. and Zhu, X. 2010. Reactions of cellulose in supercritical water. *Chinese Journal of Organic Chemistry*. **30**(1): 142–148.
- Zinatizadeh, A.A.L., Mohamed, A.R., Abdullah, A.Z., Mashitah, M.D., Hasnain Isa, M., and Najafpour, G.D. 2006. Process modeling and analysis of palm oil mill effluent treatment in an up-flow anaerobic sludge fixed film bioreactor using response surface methodology (RSM). *Water Research*. **40**: 3193-3208.
- Zinatizadeh, A.A.L., Mohamed, A.R., Mashitah, M.D., Abdullah, A.Z. and Isa, M.H. 2007. Optimization of pre-treated palm oil mill effluent digestion in an up-flow anaerobic sludge fixed film bioreactor: A comparative study. *Journal of Biochemical Engineering*. **35**: 226-237.
- Zoutberg, G.R. and Eker, Z. 1999 Anaerobic treatment of potato processing wastewater. *Water Science and Technology*. **40**: 297-304.